## PSM5665 - McCrae Landslide Monitoring

From: Andrew Wilson <andrew.wilson@psm.com.au>
To: Leesa Hovendene <lhovendene@ha.legal>

Cc: Dane Pope <dane.pope@psm.com.au>, Ben Broadhead <bbroadhead@ha.legal>,

PsmAdvice <psmadvice@psm.com.au>

Date: Wed, 29 Jan 2025 14:36:20 +1100

Attachments: 250124\_25010.Q01\_McCrae Landslip Monitoring Proposal - Rev1.pdf (707.34 kB)

Hi Leesa.

This email is to seek your agreement for PSM to engage external suppliers for the provision and installation of a survey monitoring system at McCrae. This is in addition to the current radar that is deployed. The intent is to use the radar for the short term and replace that system with a longer term monitoring system when appropriate.

We have sought two quotes from experienced suppliers. Based on the proposals received, we propose to engage DioSpatial. I've attached their current proposal (Rev 1), please note they are in the process of updating this proposal to include GPS monitoring.

The total fee estimate is CIC 1tc CIC (with GPS included at approx. CIC

## The fee estimate:

- \* Provides monitoring for a period of 12 months. For monitoring beyond 12 months there
  would be additional fees dependent on the scope/amount of monitoring (approx.

  CIC
  per year).
- \* Allows for provision of factual data only. Interpretation and reporting would be undertaken separately by PSM.
- \* The above amount allows for external disbursements only. PSM fees are additional to this.

Due to the scale of the order, we would need written confirmation to proceed prior to PSM issuing a purchase order and mobilisation of the equipment.

## Kind Regards

## Andrew Wilson

Associate Geotechnical Engineer

Direct: 03 7068 5699 Mobile andrew.wilson@psm.com.a Geelong Brisbane Perth Sy O16, L4, 60 Moorabool Street, Level 6, 500 Queen St, Level 3, 22 Delhi Street, G3 Geelong VIC 3220 Australia Brisbane QLD 4000 Australia West Perth WA 6005 AustraliaNo +61 3 7068 5699 +61 7 3220 8300 +61 8 9462 8400 +6

Engineering Consultants | Rock-Soil-Water | psm.com.au

This message is intended for the addressee named and may contain confidential information. If you are not the intended notify the sender.