

RE: PSM5665-053L Escarpment Assessment Proposal [IMAN-ACTIVE.FID1000052]

From: Leesa Hovendene <lhovendene@ha.legal>
To: Dane Pope <dane.pope@psm.com.au>, Emily Harkin <emily.harkin@mornpen.vic.gov.au>
Cc: Ben Broadhead <bbroadhead@ha.legal>, Tim Nash <tim.nash@psm.com.au>
Bcc: 22500169 Mornington Peninsula Shire Council _ McCrae landslip 2025 Emails
 <{f1000052}.active@mail.cloudmanage.com>
Date: Fri, 21 Mar 2025 11:27:54 +1100

Dear Dane,

We confirm Council accepts the escarpment proposal and instructs PSM to proceed with the escarpment assessment.

Kind regards,

Leesa Hovendene
Associate




03 5225 5230

lhovendene@ha.legal



harwoodandrews.com.au



[Email Legal Notice](#)

From: Dane Pope <Dane.Pope@psm.com.au>
Sent: Wednesday, 19 March 2025 11:21 AM
To: Emily Harkin <Emily.Harkin@mornpen.vic.gov.au>
Cc: Leesa Hovendene <lhovendene@ha.legal>; Ben Broadhead <bbroadhead@ha.legal>; Tim Nash <Tim.Nash@psm.com.au>
Subject: PSM5665-053L Escarpment Assessment Proposal

Hi Emily,

Please find attached the reverse brief for the escarpment assessment. Note that a significant amount of this work is well advanced. We will come back to you (aiming for tomorrow) with a formal list of properties that we will need access for an inspection.

We can help with wording for the site visit so that property owners are not immediately concerned by the need for access.

Regards,

Dane Pope

Principal | BE (Hons), MEngSc, MIEAust, CPEng, RPEQ

Direct: **(03) 7068 5699**

| Mobile: Irrelevant & Sensitive

| Dane.Pope@psm.com.au

**Geelong**

O16, L4, 60 Moorabool Street,
Geelong VIC 3220 Australia

+61 3 7068 5699

Brisbane

Level 6, 500 Queen St,
Brisbane QLD 4000 Australia

+61 7 3220 8300

Perth

Level 3, 22 Delhi Street,
West Perth WA 6005 Australia

+61 8 9462 8400

Sydney

G3 56 Delhi Road,
North Ryde NSW 2113

+61 2 9812 5000

Engineering Consultants | Rock-Soil-Water | psm.com.au

This message is intended for the addressee named and may contain confidential information. If you are not the intended recipient, please delete it and notify the sender.